

Dog Poisoning

Possible Symptoms: Drooling, trembling, evidence of abdominal pain, vomiting, diarrhea, convulsion and coma.

- ➔ if you suspect poisoning is recent
- ➔ substance is non-corrosive
- ➔ dog can still swallow

THEN INDUCE VOMITING...

mix EQUAL PARTS hydrogen peroxide and water and give right away

1 or 2 tablespoons per 10 lbs. body weight to induce vomiting

use a turkey baster or eyedropper if necessary

dog size (pounds)	dog size (kilograms)	water +	hydrogen peroxide	give dog
3 - 5	1.3 - 2.2	1 Tablespoon	1 Tablespoon	1/2 to 1 Tablespoon
6 - 10	2.7 - 4.5	1 Tablespoon	1 Tablespoon	1 to 2 Tablespoons
10 - 15	4.5 - 7	2 Tablespoons	2 Tablespoons	1 to 3 Tablespoons
15 - 20	7 - 9	2 Tablespoons	2 Tablespoons	2 to 4 Tablespoons
20 - 30	9 - 14	3 Tablespoons	3 Tablespoons	3 to 6 Tablespoons
30 - 40	14 - 18	4 Tablespoons	4 Tablespoons	3 Tablespoons to 1/2 cup
40 - 60	18 - 27	3/4 cup (12 Tablespoons)	3/4 cup (12 Tablespoons)	1/2 cup to 3/4 cup
60 - 80	27 - 36	1 cup (16 Tablespoons)	1 cup (16 Tablespoons)	3/4 cup to 1 cup
80 - 100	36 - 45	1 1/2 cups	1 1/2 cup	3/4 cup to 1 1/4 cups

My Veterinarian's Name: _____

Phone Number: (_____) _____ - _____

Emergency Phone Number: (_____) _____ - _____

Animal Poison Center Number: (_____) _____ - _____